

OYEN WIGGS GREEN & MUTALA LLP
INTELLECTUAL PROPERTY LAWYERS

AUG 15 2006

Registered Patent & Trademark Agents

480—The Station, 601 West Cordova Street
Vancouver, British Columbia, Canada V6B 1G1
Tel: 604.669.3432
Fax: 604.681.4081
www.patentable.com
mail@patentable.com**CERTIFICATE OF FACSIMILE TRANSMISSION**

I hereby certify that this paper is being facsimile transmitted to the Patent and Trademark Office on 15 August 2006.



Nadia Vedrova - Assistant to Richard A. Johnson

15 August 2006

FAX TRANSMITTAL*This is page 1 of 4 pages*

To: Mail Stop Amendment
Commissioner for Patents
P O Box 1450
Alexandria, VA, 22313-1450

Via Fax No. 1 - 571-273-8300

From: Richard A. Johnson
Oyen Wiggs Green & Mutala LLP

Re: United States Patent Application No. 10/541491
Filed: 7 July 2005 for ROOFING PANEL SYSTEM
Inventor(s): BOWMAN, Ken
Applicant: Modco Technology (Canada) Ltd.
Our File: M631 0004

ENCLOSURES:

PRELIMINARY AMENDMENT

3 PAGES

Confirmation: ☐ follows by mail; ☐ follows by courier; ☒ will not follow

In the event of transmission problems, please telephone Nadia Vedrova at 604-669-3432 extension 9047.

This fax communication is directed in confidence solely to the person or entity to whom it is addressed. The contents of this fax communication may be subject to solicitor-client privilege. All rights to that privilege are expressly claimed and not waived. Any review, copy, retransmission, dissemination or other use of the contents of this fax communication by persons or entities other than the intended recipient is prohibited. If you have received this fax communication in error, please telephone us immediately and return the original transmission to us by mail or destroy same, without making a copy.

AUG 15 2006

M631 0004
RAJ/nv

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

Inventor(s): BOWMAN, Ken
Title: ROOFING PANEL SYSTEM
Serial No.: 10/541491
Filed: 7 July 2005
Date: 15 August 2006

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir/Madam:

PRELIMINARY AMENDMENT

Introductory Comments

Preliminary to examination, please amend this application as follows:

- Amendments to the Abstract begin on page 2 of this paper;
- Remarks/Arguments begin on page 3 of this paper.